


STATE: ORISSA

DATED: 30/12/2008



SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
34 AID ITC, At/Po Renadevi Block Paralakhemundi Dist-Gajapati Orissa DGET-6/18/108/2008-TC	Cutting & Sewing	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR- 26/9/2008 w.e.f Aug 2008	
35 ITC. B.I.E.T, Barapada At/Po Barapada Dist-Bhadrak Pin-756113 Orissa DGET-6/18/2/2001-TC	Fitter	Addl. 4(2+2)		Addl. 4(2+2) Total 8(4+4)	Addl. 4(2+2) Total 8(4+4)	SCIR- 17/10/2008 w.e.f Aug 2008	
	Electrician	Addl. 4(2+2)		Addl. 4(2+2) Total 8(4+4)	Addl. 4(2+2) Total 8(4+4)		
36 O.P. Jindal Instt. Of Technology & Skill, Opp. Circuit House Near SP's Office Dist-Angul Pin-759122 Orissa DGET-6/18/36/2008-TC	Electrician	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	SCIR- 23/9/2008 w.e.f Aug 2008 all trade.	
	Plumber	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Welder	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	COPA	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Carpenter	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		

[Handwritten signature]

11


3. U.C case will be withdrawn if SIR/DIR/SCIR is not forwarded within 5 months.

It may please be noted, that the cases which have been rejected, require fresh standing committee inspection/departmental inspection as the case may be, for grant of affiliation of trades/ units accordingly the institutes may please be advised. The State Director(s) are requested to enclose copy(s) of proof of availability of Power Supply alongwith copy(s) of Electricity consumption bill of ITI/ITCs and other documents as mentioned in the Training Manual of CTS with every affiliation report to enable us to process the same at DGE&T (HQs), New Delhi. In case of any document in regional language duly authenticated extract translated in English may please be enclosed.

It has been decided in the Sub-Committee meeting held on 23/11/2007 that those affiliation case which are more than 2 years should not be forwarded to DGET for affiliation except in case of official lapses so that careers of the students may not hampered.

For future correspondence, you are also requested to quote DGE&T file number as indicated in the list enclosed, related to respective ITI's/ ITC's.


Yours faithfully



(H.A Keshava Murthy)
Deputy Director General(T)

Copy along with enclosure for information to:

1. The Regional Director Apprenticeship Training, RDAT, Hyderabad (for Andhara Pradesh).
2. The Regional Director Apprenticeship Training, RDAT, Salt Lake City, Kolkata (for Bihar, Jharkhand, Chattisgarh, W.B and Orissa)
3. The Regional Director Apprenticeship Training, RDAT, (for Maharashtra & Gujarat).
4. The Regional Director Apprenticeship Training, RDAT, CGO Complex, Faridabad (for Rajasthan & Punjab).
5. The Regional Director Apprenticeship Training, RDAT, Guindy, Chennai (for Tamil Nadu).
6. The Regional Director Apprenticeship Training, RDAT, Kanpur (for UP & MP)
7. The Director, Foremen Training Institute, Tumkur Road, Bangalore (for Karnataka).
8. The Director, CSTARI, EN-Block, Sector V, Salt Lake City, Kolkata.
9. All concerned ITIs/ITCs.



(M.M.Gera)
Joint Director of Training.



SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. Of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	DGET		
5 Swami Vivekananda ITC, Plot No. 172, Anata Bihar, Pokhariput, Bhubaneshwar, Distt. Khurda, Pin-751020 Orissa DGE&T- 6/18/25/2007-TC (New)	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-18/9/2007 Both trades w.e.f. Aug 2007	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
6 Akankshya ITC, Mallick complex, near Nehru stadium, Bonthchhan, Distt. Bhadrak Pin-756100 Orissa DGE&T- 6/18/13/2007-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-3/9/2007 Both trades w.e.f. Aug 2007	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
7 O P Jindal Institute of Technology & skills, Opp. Circuit house, Near SP's Office, Distt. Angul Pin-759122 Orissa DGE&T- 6/18/36/2007-TC	COPA	One Unit	1(1+0)	One Unit	SCIR-27/9/2007 All trades w.e.f. Aug 2007 *2nd unit has not been recommended due to shortages of T&E kits. Trainees Tool kits	
	Electrician	2(1+1)	2(1+1)	One Unit*		
	Fitter	2(1+1)	2(1+1)	2(1+1)		
	Welder	One Unit	One Unit	One Unit		
	Plumber	One Unit	One Unit	One Unit		
	Carpentry	One Unit	One Unit	One Unit		
	RAC	2(1+1)	One Unit	One Unit		
8 Siridisai ITC, Plot No. 3/321, Begunia, Dey village, P.O Dumduma Distt. Khurda, Pin- 751019 Orissa DGE&T- 6/18/17/2007-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-30/8/2007 Both trades w.e.f. Aug 2007	
	Fitter	4(2+2)	4(2+2)	4(2+2)		